

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO23225	Receipt Dates from 3/10/2014 to 3/10/2014

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:

RYERSON

Packing List
Shipping Order

MO # 200 RUE DU CHEMINOT 200 RUE DU CHEMINOT
Phone (450) 424-0153
SOLD TO: DART AEROSPACE LTD.
1270, ABERDEEN STREET
HAWKESBURY ON K6A 1K7
ON K6A 1K7 HAWKESBURY
ON K6A 1K7
Phone (613) 632-3336
Page 1 of 2 03/07/14 09:27 CST
SP AP

Order Number
X6-327212
Purchase Order
PO23225

Total Packages: 2

Ship Via	Freight	Customer #	Sales	Tax Status	Contact	Certs	Due Date
Ontario	Our Truck Prepaid/Allowe	1946	21 JL	Taxable		1	03/10/2014
Bill of Lading:	Pro Bill:	Ship Approval:	Ship Date:				Order Date: 03/05/2014

Line No.	Item	Description	Qty Shipped	B/O Quantity
----------	------	-------------	-------------	--------------

1 5131-8871 PLAT AL EXTRUDE 6061T6511 COIN CARRE 1 1/4 X 2 X 144
Tariff Code: 7604.29.00.19
Order Qty: 5 60.00 UFT

(1 -BUNDL 175)
Cntrl: X6FR0172 H: 177966
LINE 1
*** Filled by Initials: LM

2 5555-6558 PLA AL 7075-T651 QQ-A-250/12 1.00 X 1.00 X 144 GRAIN
Tariff Code: 7604.29.00.19
Order Qty: 2 24.00 UFT

(1 -BUNDL 29 6X144)
Cntrl: X6FR5480 H: 458934
LINE 2
*** Filled by Initials: SLF

Customer/Driver Instructions:
HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR AVANT COTE CHAUFFEUR
CFC ET MTR REQUIS A LA LIVRAISON

Received by: _____ Date: _____
Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com, or from your sales representative, or by calling (800) 268-2680.
Packing List
Alloys of Aluminum, Copper, Steel Caution:
Processing of this material may present a physical and or health hazard. See material safety data sheets for further information.

RYERSON

Packing List
Shipping Order

Page 2 of 2 03/07/14 09:27 CST

Order Number
X6-327212
Purchase Order
PO23225

VAUDREUIL-DORION QC J7V 5V5
VAUDREUIL QC J7V 5V5

200 RUE DU CHEMINOT
200 RUE DU CHEMINOT
Phone (450) 424-0153

SHIP TO:
DART AEROSPACE LTD.
1270, ABERDEEN STREET

SOLD TO:
DART AEROSPACE LTD.
1270, ABERDEEN STREET

Phone (613) 632-3336

ON K6A 1K7

HAWKESBURY

ON K6A 1K7

HAWKESBURY

Line No.	Item	Description	Qty Shipped	B/O Quantity
----------	------	-------------	-------------	--------------

3 5555-6558 PLA AL 7075-T651 QQ-A-250/12 1.00 X 6.00 X 144 GRAIN

Tariff Code: 7604.29.00.19

Order Qty:

12.0000 UFT

Pcs:

1

12.00 UFT

(0 -PK/WI 87 LINE 1)

Cntrl: X6FR5481 H: 458934

LINE 3

*** Filled by Initials: SLF

1 pcs Loc EXP

T: 709049

4 7915-9998 ENERGY CHARGE

Tariff Code: 7604.29.00.19

Order Qty:

1.0000 LOT

Pcs:

0

1.00 LOT

Customer/Driver Instructions:

HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR AVANT COTE CHAUFFEUR
CFC ET MTR REQUIS A LA LIVRAISON

Received by: _____ Date: _____
Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com,
or from your sales representative, or by calling (800) 268-2680.

Packing List

Alloys of Aluminum, Copper, Steel Caution:

Processing of this material may present a physical and or health hazard. See material safety data sheets for further information.


DART AEROSPACE LTD. P.O. - PO23225 S.O. - 327212

LB ALUMINIUM BERHAD
OUT GOING DATA SHEET

CERTIFICATE NO: T11004370
DATE : 22-02-12
CUSTOMER : RYERSON CANADA INC.

CUSTOMER PO NO: RYERSON TORONTO 94
SECTION NO : PE01467MF03660
PURCHASE ORDER: 1170980

WORK ORDER : 177966
MACHINE : XTK
ALLOY/TEMPER : 6061-T6511
P.THICKNESS : 31.75
EXTRUSION DATE: 12-02-12



sent 14/03/11

CHEMICAL COMPOSITION									* Data from raw material Supplier Certificate Of Analysis		
Composition	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Analysis Ref.	
Min	0.400	0.000	0.150	0.000	0.800	0.040	0.000	0.000		E1L0382A 21-NOV-2011	
Max	0.800	0.700	0.400	0.150	1.200	0.350	0.250	0.150	REMAINDER		
Actual	0.660	0.130	0.210	0.100	0.900	0.100	0.010	0.012			
MECHANICAL PROPERTIES									* Data from LB inhouse test result		
RESULT	Tensile Strength, Rm min Mpa			Yield Strength, Rp 0.2% min Mpa			Elongation min %				
Standard	260.00			240.00			10.00				
AV/12/0132	288.02			260.46			10.66				
Test Method: ASTM B221											

Test Method: ASTM B221

We hereby certify that the material covered by this report has been verified or tested according to the seller standard sampling method or the requirements of any specifications or requirements described herein, and that sample representative of the material met the composition limits and had the mechanical properties shown. Also, note that mercury is not a normal contaminant in aluminium alloys. Neither mercury nor any of its compounds are used in the manufacture of our extrusion.

** This certificate of Analysis has been produced electronically and is valid without signature. **

qedhalik

22-FEB-2012 10:56:24

(ORIGINAL COPY)

Ryerson

3/7/2014 9:40:06 AM PAGE 2/006 Fax Server

DART AEROSPACE LTD. P.O. - PO23225 S.O. - 327212

Aleris Aluminum Koblenz GmbH
Cari-Spaeter Str.10 56070 Koblenz/Deutschland



Aleris
Europe

INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

SERIAL-NO.:

PAGE: 1 / 4

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A2

CONSIGNEE:

RYERSON CANADA INC.

3399 FRANCIS HUGHES

CDN LAVAL QC H7L 5A5

ORDER NO. PURCHASER:

709049-2

PART NO. PURCHASER:

5555-6554

ORDER NO. MANUFACTURER/ITEM:

66763 / 02

PRODUCT:

PLATE

SPECIFICATION:

AMS-QQ-A-250/12 APR 2007

ALLOY/TEMPER:

7075 T651

DIMENSION:

1.000 x 60.50 x 144.50 INS

PCS.	GROSS LBS	NET LBS	PACK-NO	LOT-NO	PACK-DAT.
8	7.463	7.176	730135	458934	26.03.12

amk 14/03/14

Aleris Aluminum Koblenz GmbH
Carl-Spaeter Str.10 56070 Koblenz/Deutschland



Aleris
Europe

INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

LOT: 458934 ✓

PAGE: 2 / 4

RESULTS:

Mechanical properties:

Pl. No.	Spec. No.	Y.S.	U.T.S.	El.
		KSI	KSI	%
Min. LT:		68,0	78,0	7,0
Max. LT:				
1 A		75,9	85,4	12,8
1 E		76,4	85,7	12,7
2 A		76,1	85,7	13,4
2 E		76,6	85,9	12,8
3 A		75,7	85,3	12,3
3 E		76,6	85,9	12,7
4 A		76,0	85,4	12,7
4 E		75,9	85,3	12,5

Chemical composition: in % , remainder Al

Cast No.: 4-12-3869

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	B
0,049	0,098	1,691	0,006	2,463	0,196	5,719	0,0397	0,0014
Zr	Pb	Ni	Sn	Be	Na	Li	V	H2 (*)
0,0057	0,0030	0,0060	0,0030	0,0003	0,0000	0,0000	0,0091	0,08
Al	Tl	Ti-Zr	Cu/Mg	Fe/Si				
		0,045		2,0				

(*) = H2 in ml/100 g Al

Other tests:

Dimensional check: OK
Surface control: OK
Ultrasonic test: OK

US-spec.: AMS-STD-2154 TYPE 1 CL.A

Normative references:

LEGIERUNGSNORM/CHEMICAL COMPOSITION STANDARD/COMPOSITION CHIMIQUE
AMS-QQ-A-250/12
FESTIGKEITSNORM/MECH. PROP. STANDARD/CARACTERISTIQUE MECANIQUE
AMS-QQ-A-250/12
ULTRASCHALLNORM/ULTRASONIC STANDARD/ULTRASONS - NORME
AMS-STD-2154 TYPE 1 CL.A

WT-0005 07/08

Aleris Aluminum Koblenz GmbH
Carl-Soaeter Str.10 56070 Koblenz/Deutschland



Aleris
Europe

INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

LOT: 458934

PAGE: 3 / 4

Electrical conductivity:

Min.: 32,7 Max.: 33,8 %IACS

Result: OK

Heat treatment:

135 DEGREES C.-16H

Handwritten signature 14/03/11

Aleris Aluminum Koblenz GmbH
Carl-Spaeter Str.10 56070 Koblenz/Deutschland



Aleris
Europe

INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

PAGE: 4 / 4

Remarks:

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

WT-TQ-OS 07/08

Koblenz, the 27.03.12 PS

Karl-Egon D'Altri
Quality assurance

Aleris Aluminum
Koblenz GmbH

RYERSON

C e r t i f i c a t d e C o n f o r m i t é

Vendu Par:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5

GST/TPS REG. # 895962561RT0001Y

QST/TVQ REG. # 1019096102 TQ0001

Tél: 450-424-0153 Fax: 450-424-0853

#BdeC : PO23225

Rel :

#BdeV : 327212 1

#Conn :

#Fact :

07 MARS 2014

Vendu à: (1946)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

ON K6A 1K7

Livré à: (1)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

Tél: (613)632-3336

Fax: (613)632-4443

Certificat de Conformité

No Cert.: 327212

Code: 51318871

PLAT AL EXTRUDE 6061T6511 COIN CARRE

1 1/4 X 2 X 144

Mcx

5

LB ALUMINIUM

Numéro de lot

177966

LINE 1

Test ID

347317

Numéro de Contrôle

X6FR0172

5

mf 14/03/11

CECI N'EST QU'UN CERTIFICAT DE CONFORMITÉ

À qui de droit,

La présente est pour certifier que le matériel
fourni ci-haut est conforme aux spécifications
indiquées sur votre commande ci-haut mentionnée.

[Signature]
SIGNATURE AUTORISÉE

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 6061T6 2.00X1.25
 RECEIVED BY: Long
 DATE: 14/03/11
 P/O# 23225 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 60A QUANTITY RECEIVED: 60A
 THICKNESS ORDERED: 2.00X1.25 THICKNESS RECEIVED: 2.00X1.25
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	23225
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	177966
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	1728436
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING		62HRB			5

testers located in the Quality Office

59HRB

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>Long</u>	BY: _____
DATE: <u>14/03/11</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

RYERSON

C e r t i f i c a t d e C o n f o r m i t é

Vendu Par:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5

GST/TPS REG. # 895962561RT0001Y

QST/TVQ REG. # 1019096102 TQ0001

Tél: 450-424-0153 Fax: 450-424-0853

#BdeC : PO23225

Rel :

#BdeV : 327212 2

#Conn :

#Fact :

07 MARS 2014

Vendu à: (1946)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

ON K6A 1K7

Tél: (613)632-3336

Fax: (613)632-4443

Livré à: (1)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

ON

K6A 1K7

Certificat de Conformité

No Cert.: 327212

Code: 55556558

PLA AL 7075-T651 QQ-A-250/12

1.00 X 1.00 X 144 GRAIN

McX

2

ALERIS ALUMINUM

Numéro de lot

458934

LINE 2

Test ID

709049

Numéro de Contrôle

X6FR5480

2

ml 14/03/11

CECI N'EST QU'UN CERTIFICAT DE CONFORMITÉ

À qui de droit,

La présente est pour certifier que le matériel
fourni ci-haut est conforme aux spécifications
indiquées sur votre commande ci-haut mentionnée.

[Signature]
SIGNATURE AUTORISÉE

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 7075T6 1.0X1.0
 RECEIVED BY: Line
 DATE: 14/03/10
 P/O# 23225 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 24A QUANTITY RECEIVED: 24A
 THICKNESS ORDERED: 1.0X1.0 THICKNESS RECEIVED: 1.0X1.0
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y	<input checked="" type="checkbox"/> N	
CORROSION	Y	<input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y	<input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y	<input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	N	23225 458934 1128436
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	
					5
		55HRB			14/03/10

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: _____	BY: _____
DATE: _____	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

RYERSON

C e r t i f i c a t d e C o n f o r m i t é

Vendu Par:
RYERSON CANADA, INC.
200 RUE DU CHEMINOT
VAUDREUIL-DORION QC J7V 5V5
GST/TPS REG. # 895962561RT0001Y
QST/TVQ REG. # 1019096102 TQ0001
Tél: 450-424-0153 Fax: 450-424-0853

#BdeC : PO23225
Rel :
#BdeV : 327212 3
#Conn :
#Fact :

07 MARS 2014

Vendu à: (1946)
DART AEROSPACE LTD.
1270, ABERDEEN STREET
HAWKESBURY
Tél: (613)632-3336
Fax: (613)632-4443

ON K6A 1K7

Livré à: (1)
DART AEROSPACE LTD.
1270, ABERDEEN STREET
HAWKESBURY
K6A 1K7

ON

Certificat de Conformité

No Cert.: 327212

Code: 55556558
PLA AL 7075-T651 QQ-A-250/12
1.00 X 6.00 X 144 GRAIN

Mcx
1

ALERIS ALUMINUM

Numéro de lot

458934

LINE 3

Test ID

709049

Numéro de Contrôle

X6FR5481

1

smk 14/03/11

CECI N'EST QU'UN CERTIFICAT DE CONFORMITÉ

À qui de droit,

La présente est pour certifier que le matériel
fourni ci-haut est conforme aux spécifications
indiquées sur votre commande ci-haut mentionnée.


SIGNATURE AUTORISÉE

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075TL 6.0X1.0
 RECEIVED BY: [Signature]
 DATE: 14/03/10
 P/O# 23225 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 12A QUANTITY RECEIVED: 12A
 THICKNESS ORDERED: 6.0X1.0 THICKNESS RECEIVED: 6.0X1.0
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
INCORRECT FINISH	Y <input checked="" type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/>	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/>	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/>	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	23225 458934 M128436
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING		57 HRB			5 14/03/10

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	BY: _____
DATE: <u>14/03/10</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23225

Purchase Order Date 3/4/2014

PO Print Date 3/4/2014

Page Number 1 of 2

Order From :
RYERSON
200 DU CHEMINOT
VAUDREUIL, QUEBEC J7V 5V5

VC-RYS001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
02/14/03/05

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	450-424-0153	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	Yours ppd	FOB	Destination-Collect
Ship Acct:			

1128436

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6B2.000X01.250	6061-T6 Bar 2.00 x 1.25	3/10/2014 Yes 3/10/2014		60.00 f	\$5.50	\$330.00
MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 OR 4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221							Line Total: \$330.00
2	M7075T6B1.000X1.000	7075 T6 BAR 1.00 x1.00	3/10/2014 Yes 3/10/2014		24.00 f	\$6.99	\$167.64
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							Line Total: \$167.64

114/3/10

Note:

3/4/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23225**

Purchase Order Date 3/4/2014

PO Print Date 3/4/2014

Page Number 2 of 2

Order From : VC-RYS001
RYERSON
200 DU CHEMINOT
VAUDREUIL, QUEBEC J7V 5V5

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 450-424-0153

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

3	M7075T6B6.000X1.000	7075-T6 BAR 6.000" X 1.000"	3/10/2014	12.00	✓	\$27.22	\$326.62
			Yes	f			
			3/10/2014				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

2014/3/10

Line Total: \$326.62

4	71401-45	PROCUREMENT QUALITY CLAUSES	3/10/2014	0.00	✓	\$0.00	\$0.00
			No				
			3/10/2014				

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

Line Total: \$0.00

PO Total: \$824.26

CLM

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2 Change Date: 3/4/2014